

MAYSI-2 REFERENCE LIST

Last Update – July 2017

This list of references includes all publications of which we are aware that refer to the MAYSI-2. They are classified into five categories:

- A. MAYSI-2 manuals and basic descriptions
- B. Peer-reviewed research on the MAYSI-2 or using the MAYSI-2 to test hypotheses
- C. Doctoral dissertations
- D. Non-peer-reviewed publications: State government project reports, public media documents, etc.
- E. General mental health screening publications that include the MAYSI-2

A. MAYSI-2 Manuals and Basic Descriptions

- Grisso, T., & Barnum, R. (2001, January). *The Massachusetts Youth Screening Instrument: Second version (MAYSI-2)*. Worcester, MA: University of Massachusetts Medical School.
- Grisso, T., & Barnum, R. (2003). *Massachusetts Youth Screening Instrument-Version 2: User's Manual and Technical Report*. Sarasota, FL: Professional Resource Press.
- Grisso, T., & Barnum, R. (2004). *MAYSI-2 fact sheet: The Massachusetts Youth Screening Instrument-Version 2*. Worcester, MA: University of Massachusetts Medical School.
- Grisso, T. & Barnum, R. (2006). *Massachusetts Youth Screening Instrument-Version 2: User's Manual and Technical Report*. Sarasota, FL: Professional Resource Press.
- Grisso, T., & Quinlan, J. C. (2005). Massachusetts Youth Screening Instrument—Version 2. In T. Grisso, G. Vincent, and D. Seagrave (Eds.), *Mental Health Screening and Assessment in Juvenile Justice* (pp. 99-111). New York, NY; Guilford Press.
- Grisso, T., Vincent, G.M., & Seagrave, D. (2005). *Mental health screening and assessment in juvenile justice*. New York, NY: Guilford Press.
- Lexcen, F. J., Quinlan, J. C., & Grisso, T. (2004). The Massachusetts Youth Screening Instrument-Version 2: Background, development and practices [part 1]. *Rapport*, 8(1), 20-22.
- Maney, S. M. (2006). *MAYSIWARE User's Guide: The Electronic Version of the Massachusetts Youth Screening Instrument-Second Version (MAYSI-2)*. Professional Resource Press: Sarasota, FL.
- National Youth Screening and Assessment Project. (2012). *MAYSIWARE Version 4.0 User's Guide: The Electronic Version of the Massachusetts Youth Screening Instrument-Second Version (MAYSI-2)*. Professional Resource Press: Sarasota, FL.

B. Peer-Reviewed Research on the MAYSI-2 or Using the MAYSI-2 to Test Hypotheses

Note: Key words shown in **bold** identify studies focusing specifically on race and/or gender questions.

- Aalsma, M.C., et.al. (2012). The consequences of juvenile detention reform for mental health and sexually transmitted infection screening among detained youth. *Journal of Adolescent Health, 50*(4), 365-370.
- Aalsma, M.C., Schwartz, K., & Perkins, A.J. (2014). A statewide collaboration to initiate mental health screening and assess services for detained youths in Indiana. *American Journal of Public Health, 104*(10), e82-e88. doi: 10.2105/AJPH.2014.302054.
- Aalsma, et.al. (2015). Behavioral health care needs, detention-based care, and criminal recidivism at community reentry from juvenile detention: A multisite survival curve analysis. *American Journal of Public Health, 105*(7), 1372-1378.
<http://ajph.aphapublications.org/doi/full/10.2105/AJPH.2014.302054>
- Aalsma, M.C., et.al. (2011). Mental health screening and STI among detained youth. *Journal of Community Health, 36*, 300-306. doi: 10.007/s10900-010-9311-0.
- Archer, R. P., Stredny, R. V., Mason, J. A., & Arnau, R. C. (2004). An examination and replication of the psychometric properties of the Massachusetts Youth Screening Instrument - Second Edition (MAYSI-2) among adolescent in detention. *Assessment, 11*(4), 1-13.
- Archer, R.P., Sionds-Bisbee, E.C., Spiegel, D.R., Handel, R.W., & Elkins, D.E. (2010). Validity of the Massachusetts Youth Screening Instrument-2 (MAYSI-2) in juvenile justice settings. *Journal of Personality Assessment, 92*(4), 337-348.
- Becker, S.P., Kerig, P.K., Lim, J.Y., & Ezechukwu, R.N. (2012). Predictors of recidivism among delinquent youth: interrelations among **ethnicity**, **gender**, age, mental health problems and posttraumatic stress. *Journal of Child & Adolescent Trauma, 5*(2), 145-160.
 doi:10.1080/19361521.2012.671798.
- Bender, K., Howard, M.O., Perron, B., & Jenson, J.M. (2010). Strong-arm bullying prior to incarceration among a sample of young offenders. *Journal of the Society for Social Work and Research, 1*(1), 1-13.
- Boonmann, C., et.al. (2016). Childhood traumatic experiences and mental health problems in sexually offending and non-sexually offending juveniles. *Child and Adolescent Psychiatry and Mental Health, 10*, 1-8.
- Boonmann, C., et.al. (2016). Mental health problems in young **male** offenders with and without sex offences: A comparison based on the MAYSI-2. *Criminal Behaviour & Mental Health, 26*, 352-65, doi: 10.1002/cbm.1961.
- Brawn, K.M., & Roe-Sepowitz, D. (2008). **Female** juvenile prostitutes: Exploring the relationship to substance use. *Children & Youth Services Review, 30* (12), 1395-1402.
- Butler, M., Loney, B., & Kistner, J. (2007). The Massachusetts Youth Screening Instrument as a predictor of institutional maladjustment in severe **male** juvenile offenders. *Criminal Justice and Behavior, 34*, 476-492.

- Caldwell, R.M., Sturges, S.M., & Silver, N.C. (2006). Home versus school environments and their influences on the affective and behavioral states of **African-American, Hispanic, and Caucasian** juvenile offenders. *Journal of Child and Family Studies*, 16, 125-138.
- Caldwell-Gunes, R. M., Romero, V. I., & Silver, N. C. (2015). The relationship between trauma and mental health issues among **African American, White, and Hispanic male** juvenile offenders. *American Journal of Forensic Psychology*, 33(2), 21-38.
- Cauffman, E. (2004). A statewide screening of mental health symptoms among juvenile offenders in detention. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43(4), 430-439.
- Cauffman, E., Lexcen, F. J., Goldweber, A., Shulman, E. P., & Grisso, T. (2007). **Gender** differences in mental health symptoms among delinquent and community youth. *Youth Violence and Juvenile Justice*, 5(3), 287-307.
- Cauffman, E., & MacIntosh, R. (2006). A Rasch differential item functioning analyses of the Massachusetts Youth Screening Instrument: Identifying **race** and **gender** differential item functioning among juvenile offenders. *Educational and Psychological Measurement*, 66(3), 502-521.
- Chapman, J., & Ford, J. (2008). Relationships between suicide risk, traumatic experiences, and substance use among juvenile detainees. *Archives of Suicide Research*, 12(1), 50-61.
- Coker, K. L., et.al. (2013). Using the Massachusetts Youth Screening Instrument–Version 2 on a community sample of **African American and Latino/a** juvenile offenders to identify mental health and substance abuse treatment needs. *Criminal Justice and Behavior*, 41(4), 492-511. doi: 10.1177/0093854813505565.
- Colins, O.F., Grisso, T., Mulder, E., & Vermeiren, R. (2015). The relation of standardized mental health screening and categorical assessment in detained **male** adolescents. *European Child & Adolescent Psychiatry*, 24(3), 339-49. doi:10.1007/s00787-014-0584-1.
- Colins, O.F., et.al. (2015). Standardized Screening for Mental Health Needs of Detained Youths from Various Ethnic Origins: The **Dutch** Massachusetts Youth Screening Instrument-Second Version (MAYSI-2). *Journal of Psychopathology and Behavioral Assessment*, 37(3), 481-92. doi:10.1007/s10862-014-9476-4
- Cruise, K.R., Marsee, M., Dandreaux, D., & DePrato, D. (2007). Mental health screening of **female** juvenile offenders: Replication of a subtyping strategy. *Journal of Child and Family Studies*, 16(5), 615-625.
- Cruise, K.R., Dandreaux, D.M., Marsee, M.A., DePrato, D.K. (2008). Identification of critical items on the Massachusetts Youth Screening Instrument-2 (MAYSI-2) in incarcerated youth. *The International Journal of Forensic Mental Health*, 7(2), 121-132.
- Cruise, K.R., Evans, L.J., & Pickens, I.B. (2011). Integrating mental health and special education needs into comprehensive service planning for juvenile offenders in long-term custody settings. *Learning and Individual Differences*, 21, 30-40.
- Dalton, R.F., Evans, L.J., Cruise, K.R., Feinstein, R.A., Kendrick, R.F. (2009). **Race** difference in mental health service access in a secure male juvenile justice facility. *Journal of Offender Rehabilitation*, 48(3), 194-209.

- Davis, K. M., Peterson-Badali, M., Weagant, B., & Skilling, T. A. (2015). A process evaluation of Toronto's first youth mental health court. *Canadian Journal of Criminology and Criminal Justice*, 57(2), 159-187. doi:10.3138/CJCCJ.2014.E10
- Day, J. C., Zahn, M. A., & Tichavsky, L. P. (2015). What works for whom? The effects of **gender responsive** programming on **girls and boys** in secure detention. *Journal of Research In Crime And Delinquency*, 52(1), 93-129. doi:10.1177/0022427814538033.
- DeLisi, M., et.al. (2010). The cycle of violence behind bars: Traumatization and institutional misconduct among juvenile delinquents in confinement. *Youth Violence and Juvenile Justice*, 8(2), 107-121.
- DeLisi, M., et.al. (2011). Angry inmates are violent inmates: A poisson regression approach to youthful offenders. *Journal of Forensic Psychology Practice*, 10(5), 419-439.
- Demirbaş-Çakır, E., et.al. (2015). Adolescent delinquency and psychopathology: Is MAYSI-2 a valid instrument to assess psychopathology risk among **Turkish** adolescents? *Acta Medica Anatolia*, 3(4), 119-128. doi:10.15824/actamedica.86186.
- Desai, R.A., Falzer, P.R., Chapman, J., & Borum, R. (2012). Mental illness, violence risk, and **race** in juvenile detention: Implications for disproportionate minority contact. *American Journal of Orthopsychiatry*, 82(1), 32-40. doi: 10.1111/j.1939-0025.2011.01138.x.
- Dolitzsch, C., et.al. (2017). Diagnostic performance and optimal cut-off scores of the Massachusetts Youth Screening Instrument- second version in a sample of swiss youths in welfare and juvenile justice institutions. *BMC Psychiatry*, 17, 2-9.
- Douglas, K. S., Herbozo, S., Poythress, N. G., Edens, J. F., & Belfrage, H. (2006). Psychopathy and suicide: A multisample investigation. *Psychological Services*, 3(2), 97-116.
- Edens, J.F., Marcus, D.K., & Vaughn, M.G. (2010). Exploring the taxometric status of psychopathy among youthful offenders: Is there a juvenile psychopath taxon? *Law and Human Behavior*, 35, 13-24.
- Emine Demirbaş Çakır, et.al. (2015). Adolescent Delinquency and Psychopathology: Is Maysi-2 a Valid Instrument to Assess Psychopathology Risk among **Turkish** Adolescents? *Acta Medica Anatolia*, 3(4), 119-128.
- Eno Louden, J., Kang, T., Ricks, E. P., & Marquez, L. (2017). Using the MAYSI-2 to identify mental disorder among **Latino** juvenile offenders. *Psychological Assessment*, 29(6), 727-739. doi:10.1037/pas0000399.
- Espelage, D. L., et.al. (2003). A cluster-analytic investigation of MMPI profiles of serious **male and female** juvenile offenders. *Journal of the American Academy of Child and Adolescent Psychiatry*, 42(7), 770-777.
- Espinosa, E. M., & Sorensen, J. R. (2016). The influence of **gender** and traumatic experiences on length of time served in juvenile justice settings. *Criminal Justice and Behavior*, 43(2), 187-203. doi:10.1177/0093854815605540.
- Euler, F., et.al. (2015). Variants of **girls and boys** with conduct disorder: Anxiety symptoms and callous-unemotional traits. *Journal of Abnormal Child Psychology*, 43(4), 773-785. doi:10.1007/s10802-014-9946-x.

- Ford, J., Chapman, J., Pearson, G., Borum, R., & Wolpaw, J. (2008). Psychometric status and clinical utility of the MAYSI-2 with **girls** and **boys** in juvenile detention. *Journal of Psychopathology and Behavioral Assessment*, 30(2), 87-99.
- Garland, E.L., & Howard, M.O. (2010). Inhalation of computer duster spray among adolescents: An emerging public health threat? *The American Journal of Drug and Alcohol Abuse*, 36, 320-324.
- Garland, E.L., & Howard, M.O. (2010). Phenomenology of adolescent inhalant intoxication. *Experimental and Clinical Psychopharmacology*, 18(6), 498-509.
- Garland, E.L., Carter, K. & Howard, M.O. (2011). Prevalence, correlates, and characteristics of gasoline inhalation among high-risk youth: associations with suicidal ideation, self-medication, and antisociality. *Bulletin of Clinical Psychopharmacology*, 21(2). 105-113. doi: 10.5455/bcp.20110306021629.
- Garland, E.L., & Howard, M.O. (2011). Adverse consequences of acute inhalant intoxication. *Experimental & Clinical Psychopharmacology*, 19(2), 34-144.
- Garland, E.L., Pettus-Davis, C., & Howard, M.O. (2012). Self-medication among traumatized youth: structural equation modeling of pathways between trauma history, substance misuse, and psychological distress. *Journal of Behavioral Medicine*. doi: 10.1007/s10865-012-9413-5.
- Goldstein, N. E., et.al. (2003). Comorbid symptom patterns in female juvenile offenders. *International Journal of Law and Psychiatry*, 26, 565-582.
- Gilbert, A.L., Grande, T.L., Hallman, J., & Underwood, L.A. (2015). Screening Incarcerated Juveniles Using the MAYSI-2. *Journal of Correctional Health Care*, 21(1), 35-44.
- Grande, T.L., et.al. (2012). Examining mental health symptoms in **male** and **female** incarcerated juveniles. *Behavioral Sciences and the Law*, 30(3). 365-369. doi: 10.1002/bsl.2011.
- Gretton, H.M., & Clift, R.J.W. (2011). The mental health needs of incarcerated youth in British Columbia, Canada. *International Journal of Law and Psychiatry*, 34, 109-115.
- Grisso, T., Barnum, R., Fletcher, K. E., Cauffman, E., & Peuschold, D. (2001). Massachusetts Youth Screening Instrument for mental health needs of juvenile justice youths. *Journal of the American Academy of Child and Adolescent Psychiatry*, 40(5), 541-548.
- Grigorenko, E. L., Sullivan, T., & Chapman, J. (2015). An investigation of **gender** differences in a representative sample of juveniles detained in Connecticut. *International Journal Of Law And Psychiatry*, 3884-91. doi:10.1016/j.ijlp.2015.01.011.
- Hayes, M. A., McReynolds, L. S., & Wasserman, G. A. (2005). Paper and voice MAYSI-2: Format comparability and concordance with the voice DISC-IV. *Assessment*, 12(4), 395-403.
- Hein, S., et.al. (2017). Violent offending among juveniles: A 7-year longitudinal study of recidivism, desistance, and associations with mental health. *Law and Human Behavior*, 41(3), 273-283. doi:10.1037/lhb0000241.
- Hickle, K.E., & Roe-Sepowitz, D.E. (2010). **Female** juvenile arsonists: An exploratory look at characteristics and solo and group arson offences. *Legal and Criminological Psychology*, 15, 385-399.

- Hoeve, M., et.al. (2015). The association between childhood maltreatment, mental health problems, and aggression in justice-involved **boys**. *Aggressive Behavior*, 41(5), 488-501. doi:10.1002/ab.21586.
- Hoeve, M., et.al. (2015). Trauma and mental health problems in adolescent **males**: Differences between childhood-onset and adolescent-onset offenders. *Criminal Justice And Behavior*, 42(7), 685-702. doi:10.1177/0093854814558505.
- Jagger, J., Young, S.R., McKinney, R., Bolland, K., & Church II, W.T. (2013). Utilization of the Massachusetts Youth Screening Instrument-2 (MAYSI-2) with a Southern, **African American** Adolescent **Male** Population. *Journal of Forensic Social Work*, 3(1), 3-15. doi: 10.1080/1936928X.2013.809326.
- Kerig, P.K., Ward, R.M., Vanderzee, K.L., & Moeddel, M.A. (2009). Posttraumatic stress as a mediator of the relationship between trauma and mental health problems among juvenile delinquents. *Journal of Youth and Adolescence*, 38, 1214-1225.
- Kerig, P.K., Arnzen-Moedell, M., & Becker, S.P. (2011). Assessing the sensitivity and specificity of the MAYSI-2 for detecting trauma among youth in juvenile detention. *Child & Youth Care Forum*, 40(5), 345-362. doi: 10.1007/s10566-010-9124-4.
- Kerig, P.K., Vanderzee, K.L., Becker, S.P., & Ward, R.M. (2012). Deconstructing PTSD: traumatic experiences, posttraumatic symptom clusters, and mental health problems among delinquent youth. *Journal of Child & Adolescent Trauma*, 5(2), 129-144. doi: 10.1080/19361521.2012.671796.
- Kivisto, A.J., Moore, T.M., Fite, P.A. & Seidner, B.G. (2011). Future orientation and competence to stand trial: the fragility of competence. *The Journal of the American Academy of Psychiatry and the Law*, 39(3), 316-326.
- Kuo, E.S., Vander Stoep, A., & Stewart, D.G. (2005). Using the Short Mood and Feelings Questionnaire to detect depression in detained adolescents. *Assessments*, 12 (4), 374-383. doi:10.1177/1073191105279984.
- Lau, K. L., Aalsma, M. C., Holloway, E. D., Wiehe, S. E., & Vachon, D. D. (2015). The effects of **racial heterogeneity** on mental health: A study of detained youth across multiple counties. *American Journal of Orthopsychiatry*, 85(5), 421-430. doi:10.1037/ort0000100.
- Leenarts, L., et.al. (2016). Relationship between Massachusetts Youth Screening Instrument-second version and psychiatric disorders in youths in welfare and juvenile justice institutions in Switzerland. *BMC Psychiatry*, 16 (1), 340.
- Lennox, C., O'Malley, K., Bell, V., Shaw, J., and Dolan, M. (2015). The validity and clinical utility of the Massachusetts Youth Screening Instrument – version 2 (MAYSI-2) in the UK. *Criminal Behaviour and Mental Health*, 25(3), 207-219. doi: 10.1002/cbm.1924.
- Lopez-Williams, A., Vander Stoep, A., Kuo, A., & Stewart, D. (2006). Predictors of mental health service enrollment among juvenile offenders. *Youth Violence and Juvenile Justice*, 4, 266-280.
- Mallett, C.A., & Stoddard-Dare, P. (2010). Predicting secure detention placement for **African-American** juvenile offenders: Addressing the disproportionate minority confinement problem. *Journal of Ethnicity in Criminal Justice*, 8(2), 91-103.

- Marczyk, G. R., Heilbrun, K., Lander, T., & DeMatteo, D. (2003). Predicting juvenile recidivism with the PCL:YV, MAYSI, and YLS/CMI. *International Journal of Forensic Mental Health, 2*(1), 7-18.
- Marczyk, G., Helibrun, K., Lander, T., & DeMatteo, D. (2005). Juvenile decertification: Developing a model for classification and prediction. *Criminal Justice and Behavior, 32*, 278-301.
- McCoy, H. (2009). Exploring MAYSI-2 differences: **African-American and Caucasian male** juvenile offenders. *Dissertation Abstracts International Section A: Humanities and Social Sciences, 69*(10- A), 4127.
- McCoy, H. (2014). Using cognitive interviewing to explore causes for **racial** differences on the MAYSI-2. *Crime and Delinquency, 60*(5), 647-666. doi: 10.1177/0011128710388922
- McCoy, H. (2011). A path analysis of factors influencing **racial** differences on the MAYSI-2. *Journal of Offender Rehabilitation, 50*(3), 119-141.
- McCoy, H., Liverso, J., & Bowen, E. A. (2016). What the MAYSI-2 can tell us about anger/irritability and trauma. *International Journal of Offender Therapy and Comparative Criminology, 60*(5), 555-574. doi: 10.1177/0306624X14555855.
- McCoy, H., Vaughn, M. G., Maynard, B. R., & Salas-Wright, C. P. (2014). Caution or warning? A validity study of the MAYSI-2 with juvenile offenders. *Behavioral Sciences and the Law, 32*(4), 508-526. doi 10.1002/bsl.2128.
- Murrie, D.C., Henderson, C.E., Vincent, G.M., Rockett, J.L., Mundt, C. (2009). Psychiatric symptoms among juveniles incarcerated in adult prison. *Psychiatric Services, 60*(8), 1092-1097.
- Newbauer, J.F., & Stone, M.H. (2010). Social interest and self-reported distress in a delinquent sample: Application of the SSSI and the MAYSI-2. *The Journal of Individual Psychology, 66*(2), 201-215.
- Nordness, P. D., et.al. (2002). Screening the mental health needs of youths in juvenile detention. *Juvenile and Family Court Journal, 53*(2), 43-50.
- Osterlind, S. J., Koller, J. R., & Morris, E. F. (2007). Incidence and practical issues of mental health for school-aged youth in juvenile justice detention. *Journal of Correctional Health Care, 13*(4), 268-277.
- Plattner, B., et.al. (2007). Suicidality, psychopathology, and **gender** in incarcerated adolescents in Austria. *Journal of Clinical Psychiatry, 68*(10), 1593-1600.
- Roe-Sepowitz, D. (2007). Adolescent **female** murderers: Characteristics and treatment implications. *American Journal of Orthopsychiatry, 77*(3), 489-496.
- Russell, J. D., Marsee, M. A., & Ryals, J. J. (2017). Identifying mental health issues in detained youth: Testing the structure and invariance of the Massachusetts Youth Screening Inventory–Version 2 (MAYSI-2). *Psychological Assessment, 29*(6), 720-726. doi:10.1037/pas0000410.

- Scott, L. D., Jr., & McCoy, H. (2016). Correlates of somatic symptoms among **African American males** transitioning from a public system of care. *American Journal of Men's Health*, doi:10.1177/1557988316630304.
- Smith, D.E., Springer, C.M., & Barrett, S. (2011). Physical discipline and socioemotional adjustment among **Jamaican** adolescents. *Journal of Family Violence*, 26, 51-61. doi: 10.1007/s10896-010-9341-5.
- Smith, S.T., Edens, J.F., & Vaughn, M.G. (2011). Assessing the external correlates of alternative factor models of the psychopathic personality inventory- short form across three samples. *Journal of Personality Assessment*, 93(3), 244-256.
- Spice, A., Viljoen, J. L., Douglas, K. S., & Hart, S. D. (2015). Remorse, psychopathology, and psychopathy among adolescent offenders. *Law and Human Behavior*, 39(5), 451-462. doi:10.1037/lhb0000137.
- Stathis, S., et.al. (2008). Use of the Massachusetts Youth Screening Instrument to assess mental health problems in young people in an Australian youth detention centre. *Journal of Pediatrics & Child Health*, 44(7/8), 438-443.
- Steiner, H., et.al. (2011). Psychopathology, trauma and delinquency: subtypes of aggression and their relevance for understanding young offenders. *Child and Adolescent Psychiatry and Mental Health*, 5(21), 1-11. doi: 10.1186/1753-2000-5-21.
- Stewart, D. G., & Trupin, E. W. (2003). Clinical utility and policy implication of a statewide mental health screening process for juvenile offenders. *Psychiatric Services*, 54(3), 377-382.
- Sullivan, M., & Gummelt, G. (2017). Mental health screening instrument domain scores as predictors of recidivism in juvenile probation and drug court populations. *Journal of Offender Rehabilitation*, 56(5), 331-348. doi:10.1080/10509674.2017.1327918.
- Tapia, M., McCoy, H., & Tucker, L. (2015). Suicidal ideation in juvenile arrestees: Exploring legal and temporal factors. *Youth Violence and Juvenile Justice*, 14(4), 468-483. doi: 10.1177/1541204015579522.
- Tille, J. E., & Rose, J. C. (2007). Emotional and behavioral problems of 13-to-18-year-old incarcerated **female** first-time offenders and recidivists. *Youth Violence and Juvenile Justice*, 5, 426-435.
- Trupin, E.W., Stewart, D.G., & Beach, B. (2002). Effectiveness of a dialectical behavior therapy program for incarcerated **female** juvenile offenders. *Child & Adolescent Mental Health*, 7(3), 121-127.
- Urban, S., et.al. (2017). Examination of the importance of age of onset, callous-unemotional traits and anger dysregulation in youths with antisocial behaviors. *European Child & Adolescent Psychiatry*, 26(1), 87-97. doi:10.1007/s00787-016-0878-6.
- Vaughn, M. G., Freedenthal, S., Jenson, J. M., & Howard, M. O., (2007). Psychiatric symptoms and substance use among juvenile offenders: a latent profile investigation. *Criminal Justice and Behavior*, 34(10), 1296-1312.

- Van Damme, L., et.al. (2016). Massachusetts Youth Screening Instrument for mental health needs of youths in residential welfare/justice institutions: identifying **gender differences** across countries and settings. *Journal of Forensic Psychiatry and Psychology*, online May 2016. doi:10.1080/14789949.2016.1183034.
- Van Damme, L., et.al. (in press). Cross-national gender similarities and differences in self-reported mental health problems among youths in residential welfare/justice institutions. *Children and Youth Services Review*.
- Van Damme, L., et.al. (2015), Detained **girls'** treatment engagement over time: The role of psychopathology and quality of life. *Children and Youth Services Review*, 59, 47-56.
- Van Damme, L., Hoeve, M., Vermeiren, R., Vanderplasschen, W., & Colins, O. F. (2016). Quality of life in relation to future mental health problems and offending: Testing the good lives model among detained **girls**. *Law and Human Behavior*, 40(3), 285-294. doi:10.1037/lhb0000177.
- Vaughn, M., Howard, M., & Chang-Harper, L. (2006). Do prior trauma and victimization predict weapon carrying among delinquent youth? *Youth Violence and Juvenile Justice*, 4, 314-327.
- Vincent, G., Grisso, T., Terry, A., & Banks, S. (2008). **Sex and race** differences in mental health symptoms in juvenile justice: The MAYSI-2 National meta-analysis. *Journal of the American Academy of Child & Adolescent Psychiatry*, 47(3), 282-290.
- Wasserman, G. A., et al. (2004). Screening for emergent risk and service needs among incarcerated youth: Comparing the MAYSI-2 and Voice DISC-IV. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43(5), 629-639.
- Wasserman, G.A., Vilhauer, J.S., McReynolds, L.S., Shoai, R., & John, R. (2005). Mental Health Screening in the Juvenile justice System: A comparison between the Voice-DISC-IV and the MAYSI-2. *Journal for Juvenile Justice and Detention Services* 19 (1).
- White, L. M., Lau, K. L., & Aalsma, M. C. (2016). Detained adolescents: Mental health needs, treatment use, and recidivism. *Journal of The American Academy of Psychiatry and the Law*, 44(2), 200-212.

C. Doctoral Dissertation Abstracts

- Bailey, S.M. (2008). Predicting mental illness with the MAYSI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68(9-B), 6287.
- Bisbee, E.C.S. (2010). Massachusetts Youth Screening Instrument long-term outcomes and scale stability. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(1-B), 650.
- Daurio, R. (2010). Factors associated with court decisions to provide juvenile offenders with mental health placements. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(8-B), 5156.

- Feldmann, Taylor. (2016). "Factors Contributing to Juvenile Recidivism in a Predominately **Hispanic** Population." Order No. 3619974 Texas A&M University - Corpus Christi, 2014. Ann Arbor: ProQuest. Web. 22 Aug. 2016.
- Fisher, M.J. (2002). Confirmatory item factor analysis of the Massachusetts Youth Screening Instrument-2 on a sample of conduct disordered males. Unpublished doctoral dissertation, American International College, Australia.
- Harshbarger, J.L. (2007). The impact of mental health dimensions on the prediction of juvenile reentry recidivism. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 67(10-B), 6057.
- Horner, M. L. (2017). Complex trauma among incarcerated adolescent **females**: Assessing the utility of the Massachusetts Youth Screening Instrument-Version 2 and a developmental trauma framework. Chicago School of Professional Psychology, Ann Arbor: Proquest Dissertations Publishing, 10276832
- Johnson, D. (2006). The latent structure of adolescent problematic substance use: Taxometric analysis of the MAYSI-2 alcohol and drug use scale. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 67, (1-B), 547.
- Kalmbach, K. (2006). Mental health and psychosocial characteristics of juvenile offenders: Relationship to dispositional outcomes. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66, (9-B), 5092.
- Logan, L. (2006). A Cross-time analysis of the mental health needs of juvenile offenders. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68(5-B), 3402.
- Maney, S.M. (2011). Violent and nonviolent juvenile offenders: Comparisons concerning self-report or mental health symptoms and response styles. Unpublished doctoral dissertation, Massachusetts School of Professional Psychology, Boston, MA.
- Marczyk, G. R. (2003). Predicting juvenile recidivism and validating juvenile risk factors in an urban environment. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 63(8-B).
- Mcconihay, J. (2008). Accuracy of detained juveniles self-report of substance use on the Massachusetts Youth Screening Instrument-Version 2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68(12-B), 8444.
- Padilla, R. (2006). Juvenile offenders' affective responses to a traumatic experience: A psychometric study using the Massachusetts Youth Screening Instrument Version 2. *Dissertation Abstracts International: Section B: The Sciences and Engineering* 67(6-B).
- Patrick, S. W. (2016). Exploration of factors related to institutional misconduct for **male** youth in a juvenile detention center located within an Appalachian county: Using the Massachusetts Youth Screening Instrument 2nd Edition. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 77(3-B)(E).
- Penner, E. K. (2016). "Procedural Justice and Legitimacy in Adolescent Offenders: Associations with Mental Health, Psychopathic Features, and Offending." Order No. NS22582 Simon Fraser University (Canada), 2012. Ann Arbor: ProQuest. Web. 22 Aug. 2016.

- Steele, K. (2000). Dual-symptomed juvenile offenders: A study of mental health and substance abuse symptoms within Washington state juvenile rehabilitation administration. *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 61(6-A), 2199.
- Stinson, P. (2006). Determining the prevalence of mental health needs in the juvenile delinquency system at intake: A MAYSI-2 comparison of non-detained and detained youth. *Dissertation Abstracts International*: 708.
- Tille, J. (2005). An analysis of an independent study on emotional and behavioral problems for 13-to-18 year old incarcerated female first-time offenders and recidivists. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66, (2-B), 1225.
- Vance, D. (2006). The relationship between scores on the Massachusetts Youth Screening Instrument and serious incidents committed by juveniles detained in the Dallas County Juvenile Detention Center (Texas). *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 66(10-A), 3578.
- Vasquez, C. M. (2010). Predicting recidivism in juvenile offenders by levels of emotional disturbance, severity of offense, and demographic background. Unpublished doctoral dissertation, The University of Arizona, Tucson, AZ.
- Yolanda Denise Ochoa, "Examining the Spanish MAYSI-2 translation among **Mexican Americans**" (January 1, 2016). ETD Collection for University of Texas, El Paso. Paper AAI10118219. <http://digitalcommons.utep.edu/dissertations/AAI10118219>

**D. Non-Peer-Reviewed Publications on MAYSI-2:
(1) State-Level Project Reports (2) Public Media Documents**

(1) State-Level Project Reports

California

- Haapanen, R., & Ingram, W. (2000, August). *California youth authority mental health and substance abuse treatment needs assessment: Description and preliminary findings*. Sacramento, CA: State of California, California Youth Authority, Research Division.
- Shulman, E., & Cauffman, E. (2006). *MAYSI-2 statewide screening – California: Description of Alcohol/Drug Use and mental health symptoms among youth identified by the Massachusetts Youth Screening Instrument-2*. Irvine, CA: Department of Psychology and Social Behavior, University of California, Irvine.

Indiana

- Aalsma, M. C., & the Indiana Juvenile Mental Health Screening, Assessment & Treatment Project. (2011, August). *A statewide collaboration to screen and connect youth to mental health care upon entry into Indiana juvenile detention facilities*. Indiana State Bar Association, Civil Rights of Children Committee in Cooperation with the Youth Law T.E.A.M. of Indiana.

Florida

- Florida Department of Juvenile Justice. (2001, September). *Tested, reliable MAYSI-2 used at intake*. Tallahassee, FL: Florida Department of Juvenile Justice: Office of the General Counsel.

The Justice Research Center. (2002, May). *An initial examination of Massachusetts Youth Screening Instrument (MAYSI) data: Recommendations for Policy and Practice*. Tallahassee, FL: Florida Department of Juvenile Justice.

Missouri

Missouri Department of Mental Health. (2002). *The MO MAYSI project: An examination of the mental health needs of youth in the juvenile justice system using the Massachusetts Youth Screening Instrument-2nd Edition*. St. Louis, MO: State of Missouri, Department of Mental Health, Division of comprehensive Psychiatric Services.

Missouri Alliance For Youth: A Partnership Between DMH and Juvenile Justice. (2003, Winter). The MO MAYSI project: DYS report. *Missouri Department of Mental Health: Juvenile Justice*, pp.1-2, 4.

Osterlind, S. J., Svoboda, S. K., & Koller, J. (2002). *MAYSI-2: Report of findings of juvenile justice evaluation program*. Technical Report. St. Louis, MO: Missouri Division of Social Service, Department of Mental Health.

Oregon

Research and Training Center on Family Support and Children's Mental Health. (2002). *Mental health screening instruments for use in juvenile justice*. Portland, OR: Portland State University, Research and Training Center on Family Support and Children's Mental Health.

Research and Training Center on Family Support and Children's Mental Health. (2003). *Mental health screening instruments for use in juvenile justice*. Retrieved February 10, 2003, from <http://www.rtc.pdx.edu/DataTrends/pgDT55.shtml>

Williams, V., & T. Grisso (2008). Impact of Mental Health Screening with the Massachusetts Youth Screening Instrument (MAYSI-2) in Juvenile Detention "*Proceedings of the 20th Annual Research Conference, A System of Care for Children's Mental Health: Expanding the Research Base* (2008). Available at: http://works.bepress.com/valerie_williams/26

Pennsylvania

Bender, E. (2003). *Professional news: Mental health advocates hope outreach benefits youth on probation: The State of Pennsylvania*, Department of Public Welfare.

Cauffman, E., Shulman, E., & Dickman, J. (2009). *Mental health needs in Pennsylvania's secure juvenile detention population: A statewide study implementing the automated Massachusetts Youth Screening Instrument, Version 2*. Philadelphia, PA: Juvenile Detention Centers Association of Pennsylvania.

Civic Research Institute Inc. (2003, September/October). Youth in Pennsylvania justice system found to have significant mental problems. *Juvenile Correctional Mental Health Report*. Kingston, NJ: Civic Research Institute, Inc.

Griffin, P. (2000, December). Assessing detained youth in Pennsylvania. *Pennsylvania progress: Juvenile justice achievements in Pennsylvania*. Pittsburgh, PA: National Center For Juvenile Justice: National Council of Juvenile and Family Court Judges.

Grisso, T. & Williams, V. (2006, July). *What do We Know About the Mental Health Needs of Pennsylvania's Youth in Juvenile Detention? Findings and Recommendations from the Mental Health Assessment of Youth in Detention Project*. Juvenile Detention Centers Association of Pennsylvania, Harrisburg, PA.

Juvenile Detention Center Association of Pennsylvania (JDCAP). (2003). *MAYSI-2 Pilot Site Reference Guide*. Harrisburg, PA.

Williams, V., Grisso, T., Valentine, M., & Remsburg, N. (2008). Mental health screening: Pennsylvania's experience in juvenile detention. *Corrections Today*, 70(1), 24-27.

Texas

Schwank, J., Espinosa, E., & Tolbert, V. (2003, February). *Mental health and juvenile justice in Texas*. Austin, TX: The State of Texas, Texas Juvenile Probation Commission.

Texas Juvenile Probation Commission. (2001, June). *MAYSI-2 chosen as required mental health screening instrument*. Austin, TX: Texas Juvenile Probation Commission.

Virginia

Kotler, J. D. (2001, Summer). Mental health and juvenile justice: Seeking common ground. *Networks*. Alexandria, VA: National Technical Assistance Center for State Mental Health Planning.

Reppucci, N. D., & Redding, R. E. (2000). *Screening instruments for mental illness in juvenile offenders: The MAYSI and the BSI, juvenile justice fact sheet*. Charlottesville, VA: University of Virginia, Institute of Law, Psychiatry, and Public Policy.

Others

Grisso, T., Barnum, R., & Lexcen, F. (2001, July/August). Promoting mental health screening in juvenile corrections: The MAYSI-2, *Juvenile Correctional Mental Health Report*. Kingston, NJ: Civic Research Institute, Inc.

(2) Public Media Documents

Business Publishers, I. (2003, November). A 10 minute test screens youth for signs of mental illness. *Child protection report*. Silver Spring, MD: Business Publishers, Inc.

Clinician's Research Digest. (2007, June). MAYSI-2 predicts maladjustment among severe juvenile offenders. *Volume*, 25(6), 6.

Franck, M. (2003, November 3). Test reveals mental woes of delinquents: Early screening may cut costs of treatment later. *St. Louis Post-Dispatch*, pp. B1,B2.

Sedlak, A.J., & McPherson, K.S. (2010, April). Youth's needs and services: Findings from the Survey of Youth in Residential Placement. *OJJDP Juvenile Justice Bulletin*, NCJ 227728.

Twedt, S. (2001, August 19). State and local groups reach out to troubled juveniles. *Pittsburgh Post Gazette*, p. E5.

Twedt, S. (2002, October 6). Confined teens' troubles run deep: State finds over 50% suffer mental illness. *Pittsburgh Post-Gazette*, p. B1.

E. General Mental Health Screening Articles with Commentary on MAYSI-2

American Academy of Child & Adolescent Psychiatry. (2005). Practice Parameter for the Assessment and Treatment of Youth in Juvenile Detention and Correctional Facilities. *Journal of the American Academy of Child & Adolescent Psychiatry*, 44(10), 1085-1098.

- Desai, R., et.al. (2006). Mental health care in juvenile detention facilities: A review. *The Journal of the American Academy of Psychiatry & the Law*, 34,204-214.
- Grisso, T. (1999). Juvenile offenders and mental illness. *Psychiatry, Psychology, and Law*, 6(2), 143-151. Grisso, T. (2007). Progress and perils in the juvenile justice and mental health movement. *Journal of the American Academy of Psychiatry and the Law*, 35(2), 158-167.
- Grisso, T., Davis, M., & Vincent, G. M. (March, 2004). Mental Health and juvenile justice systems: Responding to the needs of youth with mental health conditions and delinquency. Center for mental health services research issue brief.
<http://www.umassmed.edu/uploadedfiles/Brief3JJsystem.pdf>
- Grisso, T., & Underwood, L. (2002, December). *Screening and assessing mental health and substance use disorders among youth in the juvenile justice system*. Delmar, NY: National Center for Mental Health and Juvenile Justice, Policy Research Associates.
- National Action Alliance for Suicide Prevention: Youth in Contact with the Juvenile Justice System Task Force. (2013). *Screening and assessment for suicide prevention: Tools and procedures for risk identification among juvenile justice youth*. Washington, DC: Author.
- National Center for Mental Health and Juvenile Justice. (2007). *Mental health screening within juvenile justice: The next frontier*. Delmar, NY: National Center for Mental Health and Juvenile Justice.
- Rosado, L. (2002). Serving the mental needs of youth in the juvenile justice system. Retrieved February 10, 2003, from
http://www.jlc.org/home/updates/updates_links/JJmhYouth.html
- Soulier, M., & McBride, A. (2016). Mental health screening and assessment of detained youth. *Child And Adolescent Psychiatric Clinics Of North America*, 25(1), 27-39.
doi:10.1016/j.chc.2015.08.002.
- Vincent, G. M., & Grisso, T. (Dec, 2004). Developing mental health screening in juvenile justice. Center for mental health services research issue brief.
<http://www.umassmed.edu/uploadedfiles/Brief10Screening.pdf>
- Wasserman, G. A., Jensen, P. S., Ko, S. J., Coccozza, J., Trupin, E., Angold, A., et al. (2003). Mental health assessments in juvenile justice: Report on the consensus conference. *Journal of the American Academy of Child and Adolescent Psychiatry*, 42(7), 751-761.
- Williams, V., & Grisso, T. (Oct, 2006). Lessons Learned: Facilitating mental health screening in juvenile justice programs. Center for mental health services research issue brief.
<http://www.umassmed.edu/uploadedfiles/Brief26MHscreening.pdf>
- Williams, V., & Grisso, T. (December, 2011). Does mental health screening fulfill its promise? A John D. and Catherine T. MacArthur Foundation Models for Change Knowledge Brief.