

MAYSI-2 REFERENCE LIST

Last Update – May 2024

This list of references includes all publications of which we are aware that refer to the MAYSI-2. They are classified into five categories:

- A. MAYSI-2 manuals and basic descriptions
- B. Peer reviewed research on the MAYSI-2 or using the MAYSI-2 to test hypotheses
- C. Doctoral dissertations
- D. Non-peer-reviewed publications: State government project reports, public media documents, etc.
- E. General mental health screening publications that include the MAYSI-2

Note: The reference list will exclude studies with research methods that did not administer or score the MAYSI according to test manual procedure. The reasoning is that non-standardized administration or scoring does not offer results that can be applied in practice or in other research that uses the MAYSI in its proper, standardized form. This is because the validity of youths' responses might be different if they are taking the MAYSI in a non-standardized way.

A. MAYSI-2 Manuals and Basic Descriptions

- Grisso, T., & Barnum, R. (2001, January). *The Massachusetts Youth Screening Instrument: Second version (MAYSI-2)*. Worcester, MA: University of Massachusetts Medical School.
- Grisso, T., & Barnum, R. (2003). *Massachusetts Youth Screening Instrument-Version 2: User's Manual and Technical Report*. Sarasota, FL: Professional Resource Press.
- Grisso, T., & Barnum, R. (2004). *MAYSI-2 fact sheet: The Massachusetts Youth Screening Instrument-Version 2*. Worcester, MA: University of Massachusetts Medical School.
- Grisso, T. & Barnum, R. (2006). *Massachusetts Youth Screening Instrument-Version 2: User's Manual and Technical Report*. Sarasota, FL: Professional Resource Press.
- Grisso, T., & Quinlan, J. C. (2005). Massachusetts Youth Screening Instrument—Version 2. In T. Grisso, G. Vincent, and D. Seagrave (Eds.), *Mental Health Screening and Assessment in Juvenile Justice* (pp. 99-111). New York, NY; Guilford Press.
- Grisso, T., Vincent, G.M., & Seagrave, D. (2005). *Mental health screening and assessment in juvenile justice*. New York, NY: Guilford Press.
- Lexcen, F. J., Quinlan, J. C., & Grisso, T. (2004). The Massachusetts Youth Screening Instrument-Version 2: Background, development and practices [part 1]. *Rapport*, 8(1), 20-22.
- Maney, S. M. (2006). *MAYSIWARE User's Guide: The Electronic Version of the Massachusetts*

Youth Screening Instrument-Second Version (MAYSI-2). Professional Resource Press: Sarasota, FL.

National Youth Screening and Assessment Project. (2012). *MAYSIWARE Version 4.0 User's Guide: The Electronic Version of the Massachusetts Youth Screening Instrument- Second Version (MAYSI-2)*. Professional Resource Press: Sarasota, FL.

B. Peer-Reviewed Research on the MAYSI-2 or Using the MAYSI-2 to Test Hypotheses

Note: Key words shown in **bold** identify studies focusing specifically on race and/or gender questions.

Aalsma, M.C., et.al. (2012). The consequences of juvenile detention reform for mental health and sexually transmitted infection screening among detained youth. *Journal of Adolescent Health, 50*(4), 365-370.

Aalsma, M.C., Schwartz, K., & Perkins, A.J. (2014). A statewide collaboration to initiate mental health screening and assess services for detained youths in Indiana. *American Journal of Public Health, 104*(10), e82-e88. doi: 10.2105/AJPH.2014.302054.

Aalsma, et.al. (2015). Behavioral health care needs, detention-based care, and criminal recidivism at community reentry from juvenile detention: A multisite survival curve analysis. *American Journal of Public Health, 105*(7), 1372-1378.
<http://ajph.aphapublications.org/doi/full/10.2105/AJPH.2014.302054>

Aalsma, M.C., et.al. (2011). Mental health screening and STI among detained youth. *Journal of Community Health, 36*, 300-306. doi: 10.1007/s10900-010-9311-0.

Archer, R. P., Stredny, R. V., Mason, J. A., & Arnau, R. C. (2004). An examination and replication of the psychometric properties of the Massachusetts Youth Screening Instrument - Second Edition (MAYSI-2) among adolescent in detention. *Assessment, 11*(4), 1-13.

Archer, R.P., Sionds-Bisbee, E.C., Spiegel, D.R., Handel, R.W., & Elkins, D.E. (2010). Validity of the Massachusetts Youth Screening Instrument-2 (MAYSI-2) in juvenile justice settings. *Journal of Personality Assessment, 92*(4), 337-348.

Becker, S.P., Kerig, P.K., Lim, J.Y., & Ezechukwu, R.N. (2012). Predictors of recidivism among delinquent youth: interrelations among **ethnicity**, **gender**, age, mental health problems and posttraumatic stress. *Journal of Child & Adolescent Trauma, 5*(2), 145-160.
doi:10.1080/19361521.2012.671798.

Bender, K., Howard, M.O., Perron, B., & Jenson, J.M. (2010). Strong-arm bullying prior to incarceration among a sample of young offenders. *Journal of the Society for Social Work and Research, 1*(1), 1-13

Boonmann, C., Grisso, T., Guy, L. S., Colins, O. F., Mulder, E. A., Vahl, P., Jansen, L. M., Doreleijers, T. A., & Vermeiren, R. R. (2016). Childhood traumatic experiences and mental health problems in sexually offending and non-sexually offending juveniles. *Child and Adolescent Psychiatry and Mental Health, 10*(1). doi: 10.1186/s13034-016-0127-2

Boonmann, C., Nelson, R. J., DiCataldo, F., Jansen, L. M., Doreleijers, T. A., Vermeiren, R. R., Colins, O. F., & Grisso, T. (2015). Mental health problems in young male offenders with and

without sex offences: A comparison based on the maysi-2. *Criminal Behaviour and Mental Health*, 26(5), 352–365. doi: 10.1002/cbm.1961

- Brawn, K.M., & Roe-Sepowitz, D. (2008). **Female** juvenile prostitutes: Exploring the relationship to substance use. *Children & Youth Services Review*, 30 (12), 1395-1402.
- Bürgin, D., Witt, A., Seker, S., d’Huart, D., Meier, M., Jenkel, N., Boonmann, C., Schmeck, K., Fegert, J. M., & Schmid, M. (2023). Childhood maltreatment and mental health problems in a 10-year follow-up study of adolescents in youth residential care: A latent transition analysis. *Development and Psychopathology*, 1–16. <https://doi.org/10.1017/s0954579423001426>
- Butler, M., Loney, B., & Kistner, J. (2007). The Massachusetts Youth Screening Instrument as a predictor of institutional maladjustment in severe **male** juvenile offenders. *Criminal Justice and Behavior*, 34, 476-492.
- Caldwell, R.M., Sturges, S.M., & Silver, N.C. (2006). Home versus school environments and their influences on the affective and behavioral states of **African-American, Hispanic, and Caucasian** juvenile offenders. *Journal of Child and Family Studies*, 16, 125-138.
- Caldwell-Gunes, R. M., Romero, V. I., & Silver, N. C. (2015). The relationship between trauma and mental health issues among **African American, White, and Hispanic male** juvenile offenders. *American Journal of Forensic Psychology*, 33(2), 21-38.
- Cauffman, E. (2004). A statewide screening of mental health symptoms among juvenile offenders in detention. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43(4), 430-439.
- Cauffman, E., Lexcen, F. J., Goldweber, A., Shulman, E. P., & Grisso, T. (2007). **Gender** differences in mental health symptoms among delinquent and community youth. *Youth Violence and Juvenile Justice*, 5(3), 287-307.
- Cauffman, E., & MacIntosh, R. (2006). A Rasch differential item functioning analyses of the Massachusetts Youth Screening Instrument: Identifying **race** and **gender** differential item functioning among juvenile offenders. *Educational and Psychological Measurement*, 66(3), 502-521.
- Chapman, J., & Ford, J. (2008). Relationships between suicide risk, traumatic experiences, and substance use among juvenile detainees. *Archives of Suicide Research*, 12(1), 50-61.
- Charak, R., Ford, J. D., Modrowski, C. A., & Kerig, P. K. (2018). Polyvictimization, emotion dysregulation, symptoms of posttraumatic stress disorder, and behavioral health problems among justice-involved youth: A latent class analysis. *Journal of Abnormal Child Psychology*, 47(2), 287–298. doi: 10.1007/s10802-018-0431-9
- Christian, D. D. (2021). Mandatory Mental Health Screening for Justice-Involved Youth: A National Priority. *Youth Justice*, 14732254211052334.
- Coker, K. L., et.al. (2013). Using the Massachusetts Youth Screening Instrument–Version 2 on a community sample of **African American and Latino/a** juvenile offenders to identify mental health and substance abuse treatment needs. *Criminal Justice and Behavior*, 41(4), 492- 511. doi: 10.1177/0093854813505565.

- Colins, O. F., & Grisso, T. (2019). The relation between mental health problems and future violence among detained male juveniles. *Child and adolescent psychiatry and mental health, 13*(1), 1-11.
- Cruise, K.R., Marsee, M., Dandreaux, D., & DePrato, D. (2007). Mental health screening of **female juvenile** offenders: Replication of a subtyping strategy. *Journal of Child and Family Studies, 16*(5), 615-625.
- Cruise, K.R., Dandreaux, D.M., Marsee, M.A., DePrato, D.K. (2008). Identification of critical items on the Massachusetts Youth Screening Instrument-2 (MAYSI-2) in incarcerated youth. *The International Journal of Forensic Mental Health, 7*(2), 121-132.
- Cruise, K.R., Evans, L.J., & Pickens, I.B. (2011). Integrating mental health and special education needs into comprehensive service planning for juvenile offenders in long-term custody settings. *Learning and Individual Differences, 21*, 30-40.
- Dalton, R.F., Evans, L.J., Cruise, K.R., Feinstein, R.A., Kendrick, R.F. (2009). **Race** difference in mental health service access in a secure male juvenile justice facility. *Journal of Offender Rehabilitation, 48*(3), 194-209.
- Davis, K. M., Peterson-Badali, M., Weagant, B., & Skilling, T. A. (2015). A process evaluation of Toronto's first youth mental health court. *Canadian Journal of Criminology and Criminal Justice, 57*(2), 159-187. doi:10.3138/CJCCJ.2014.E10
- Day, J. C., Zahn, M. A., & Tichavsky, L. P. (2015). What works for whom? The effects of **genderresponsive** programming on **girls and boys** in secure detention. *Journal of Research In Crime And Delinquency, 52*(1), 93-129. doi:10.1177/0022427814538033.
- DeLisi, M., et.al. (2010). The cycle of violence behind bars: Traumatization and institutional misconduct among juvenile delinquents in confinement. *Youth Violence and Juvenile Justice, 8*(2), 107-121.
- DeLisi, M., Caudill, J. W., Trulson, C. R., Marquart, J. W., Vaughn, M. G., & Beaver, K. M. (2010). Angry inmates are violent inmates: A Poisson regression approach to youthful offenders. *Journal of Forensic Psychology Practice, 10*(5), 419-439. <https://doi.org/10.1080/15228932.2010.489861>
- Desai, R.A., Falzer, P.R., Chapman, J., & Borum, R. (2012). Mental illness, violence risk, and **race** in juvenile detention: Implications for disproportionate minority contact. *American Journal of Orthopsychiatry, 82*(1), 32-40. doi: 10.1111/j.1939-0025.2011.01138.x.
- Douglas, K. S., Herbozo, S., Poythress, N. G., Edens, J. F., & Belfrage, H. (2006). Psychopathy and suicide: A multisample investigation. *Psychological Services, 3*(2), 97-116.
- Edens, J.F., Marcus, D.K., & Vaughn, M.G. (2010). Exploring the taxometric status of psychopathy among youthful offenders: Is there a juvenile psychopath taxon? *Law and Human Behavior, 35*, 13-24.

- Eno Loudon, J., Kang, T., Ricks, E. P., & Marquez, L. (2017). Using the MAYSI-2 to identify mental disorder among **Latino** juvenile offenders. *Psychological Assessment, 29*(6), 727-739. doi:10.1037/pas0000399.
- Espelage, D. L., et.al. (2003). A cluster-analytic investigation of MMPI profiles of serious **male and female** juvenile offenders. *Journal of the American Academy of Child and Adolescent Psychiatry, 42*(7), 770-777.
- Espinosa, E. M., & Sorensen, J. R. (2016). The influence of **gender** and traumatic experiences on length of time served in juvenile justice settings. *Criminal Justice and Behavior, 43*(2), 187-203. doi:10.1177/0093854815605540.
- Espinosa, E. M., Sorensen, J. R., & Walfield, S. (2020). Youth pathways: Evaluating the influence of **gender**, involvement with the public mental health system, perceived mental health need, and traumatic experiences on juvenile justice system processing. *Youth violence and juvenile justice, 18*(3), 215-234.
- Euler, F., et.al. (2015). Variants of **girls and boys** with conduct disorder: Anxiety symptoms and callous-unemotional traits. *Journal of Abnormal Child Psychology, 43*(4), 773-785. doi:10.1007/s10802-014-9946-x.
- Farina, A. S., Holzer, K. J., DeLisi, M., & Vaughn, M. G. (2018). Childhood trauma and psychopathic features among juvenile offenders. *International journal of offender therapy and comparative criminology, 62*(14), 4359-4380.
- Ford, J. D., Charak, R., Modrowski, C. A., & Kerig, P. K. (2018). PTSD and dissociation symptoms as mediators of the relationship between polyvictimization and psychosocial and behavioral problems among justice-involved adolescents. *Journal of Trauma & Dissociation, 19*(3), 325-346.
- Ford, J., Chapman, J., Pearson, G., Borum, R., & Wolpaw, J. (2008). Psychometric status and clinical utility of the MAYSI-2 with **girls and boys** in juvenile detention. *Journal of Psychopathology and Behavioral Assessment, 30*(2), 87-99.
- Ford, J. D., Cruise, K. R., Grasso, D. J., & Holloway, E. (2017). A study of the impact of screening for poly-victimization in juvenile justice: The rocky road to a successful investigation in the real world. *Journal of Interpersonal Violence, 33*(5), 810-831. <https://doi.org/10.1177/0886260517744844>
- Garland, E.L., & Howard, M.O. (2010). Inhalation of computer duster spray among adolescents: An emerging public health threat? *The American Journal of Drug and Alcohol Abuse, 36*, 320-324.
- Garland, E.L., & Howard, M.O. (2010). Phenomenology of adolescent inhalant intoxication. *Experimental and Clinical Psychopharmacology, 18*(6), 498-509.
- Garland, E.L., Carter, K., & Howard, M.O. (2011). Prevalence, correlates, and characteristics of gasoline inhalation among high-risk youth: associations with suicidal ideation, self-medication, and antisociality. *Bulletin of Clinical Psychopharmacology, 21*(2), 105-113. doi:

10.5455/bcp.20110306021629.

- Garland, E.L., & Howard, M.O. (2011). Adverse consequences of acute inhalant intoxication. *Experimental & Clinical Psychopharmacology*, *19*(2), 34-144.
- Garland, E.L., Pettus-Davis, C., & Howard, M.O. (2012). Self-medication among traumatized youth: structural equation modeling of pathways between trauma history, substance misuse, and psychological distress. *Journal of Behavioral Medicine*. doi: 10.1007/s10865-012-9413-5.
- Goldstein, N. E., et.al. (2003). Comorbid symptom patterns in female juvenile offenders. *International Journal of Law and Psychiatry*, *26*, 565-582.
- Gilbert, A.L., Grande, T.L., Hallman, J., & Underwood, L.A. (2015). Screening Incarcerated Juveniles Using the MAYSI-2. *Journal of Correctional Health Care*, *21*(1), 35-44.
- Grande, T.L., et.al. (2012). Examining mental health symptoms in **male** and **female** incarcerated juveniles. *Behavioral Sciences and the Law*, *30*(3), 365-369. doi: 10.1002/bsl.2011.
- Granski, M., Javdani, S., Sichel, C. E., & Rentko, M. (2020). **Gender** Differences in the Relationship Between Self-Silencing, Trauma, and Mental Health Among Juvenile Legal System-Involved Youth. *Feminist Criminology*, *15*(5), 545-566.
- Grisso, T., Barnum, R., Fletcher, K. E., Cauffman, E., & Peuschold, D. (2001). Massachusetts Youth Screening Instrument for mental health needs of juvenile justice youths. *Journal of the American Academy of Child and Adolescent Psychiatry*, *40*(5), 541-548.
- Grigorenko, E. L., Sullivan, T., & Chapman, J. (2015). An investigation of **gender** differences in arepresentative sample of juveniles detained in Connecticut. *International Journal Of Law And Psychiatry*, 3884-91. doi:10.1016/j.ijlp.2015.01.011.
- Hayes, M. A., McReynolds, L. S., & Wasserman, G. A. (2005). Paper and voice MAYSI-2: Format comparability and concordance with the voice DISC-IV. *Assessment*, *12*(4), 395-403.
- Hein, S., et.al. (2017). Violent offending among juveniles: A 7-year longitudinal study of recidivism, desistance, and associations with mental health. *Law and Human Behavior*, *41*(3), 273-283. doi:10.1037/lhb0000241.
- Hickle, K.E., & Roe-Sepowitz, D.E. (2010). **Female** juvenile arsonists: An exploratory look at characteristics and solo and group arson offences. *Legal and Criminological Psychology*, *15*, 385-399.
- Hoeve, M., et.al. (2015). The association between childhood maltreatment, mental health problems, and aggression in justice-involved **boys**. *Aggressive Behavior*, *41*(5), 488-501. doi:10.1002/ab.21586.
- Hoeve, M., et.al. (2015). Trauma and mental health problems in adolescent **males**: Differences between childhood-onset and adolescent-onset offenders. *Criminal Justice And Behavior*, *42*(7), 685-702. doi:10.1177/0093854814558505.
- Hong, J. H., Hein, S., Slaughter, A. M., Foley Geib, C., Gopalakrishnan, A., & Grigorenko, E. L. (2020). The Roles of **Race, Ethnicity, Gender**, and Mental Health in Predicting Truancy

Recidivism. *Criminal Justice and Behavior*, 47(6), 649-667.

- Jagger, J., Young, S.R., McKinney, R., Bolland, K., & Church II, W.T. (2013). Utilization of the Massachusetts Youth Screening Instrument-2 (MAYSI-2) with a Southern, **African American** Adolescent **Male** Population. *Journal of Forensic Social Work*, 3(1), 3-15. doi: 10.1080/1936928X.2013.809326.
- Jaggers, J. W., Cambron, C., Kerig, P. K., & Osteen, P. J. (2021). Measurement Equivalence across Multiple Administrations of the Massachusetts Youth Screening Instrument. *Journal of Psychopathology and Behavioral Assessment*, 1-8.
- Jaggers, J. W., Modrowski, C. A., Kerig, P. K., Kilshaw, R. E., Cambron, C., & Allen, A. K. (2023). Latent profiles of responding on the Massachusetts Youth Screening Instrument-2 subscale scores by **Race/ethnicity** among juvenile justice-involved **boys and girls**. *Youth Violence and Juvenile Justice*, 154120402311531. <https://doi.org/10.1177/15412040231153116>
- Jäggi, L., Schmid, M., Bürgin, D., Saladin, N., Grob, A., & Boonmann, C. (2021). Shared residential placement for child welfare and juvenile justice youth: current treatment needs and risk of adult criminal conviction. *Child and adolescent psychiatry and mental health*, 15(1), 1-13.
- Joseph, J. (2021). Severe Emotional and Behavioral Problems: Barriers for Texas Youth Accessing Mental Health Court Programs. *Contemporary Issues in Juvenile Justice*, 11(1), 3.
- Kemp, K., Yurasek, A. M., Poindexter, B., Webb, M., & Tolou-Shams, M. (2020). Suicide screening among youth at first court contact. *Archives of suicide research*, 1-13.
- Kemp, K., Webb, M., Vieira, A., Pederson, C. A., & Spirito, A. (2021). Do suicidal thoughts and behavior persist following juvenile justice involvement?. *Suicide and Life-Threatening Behavior*, 51(6), 1148-1158.
- Kemp, K., Webb, M., Wolff, J., Affleck, K., Casamassima, J., Weinstock, L., & Spirito, A. (2021). Screening and brief intervention for psychiatric and suicide risk in the juvenile justice system: Findings from an Open trial. *Evidence-Based Practice in Child and Adolescent Mental Health*, 6(3), 410–419. doi:10.1080/23794925.2021.1908190
- Kerig, P.K., Ward, R.M., Vanderzee, K.L., & Moeddel, M.A. (2009). Posttraumatic stress as a mediator of the relationship between trauma and mental health problems among juvenile delinquents. *Journal of Youth and Adolescence*, 38, 1214-1225.
- Kerig, P.K., Arnzen-Moedell, M., & Becker, S.P. (2011). Assessing the sensitivity and specificity of the MAYSI-2 for detecting trauma among youth in juvenile detention. *Child & Youth CareForum*, 40(5), 345-362. doi: 10.1007/s10566-010-9124-4.
- Kerig, P.K., Vanderzee, K.L., Becker, S.P., & Ward, R.M. (2012). Deconstructing PTSD: traumatic experiences, posttraumatic symptom clusters, and mental health problems among delinquent youth. *Journal of Child & Adolescent Trauma*, 5(2), 129-144. doi: 10.1080/19361521.2012.671796.
- Kind, N., Bürgin, D., Clemens, V., Jenkel, N., & Schmid, M. (2020). Disrupting the disruption cycle—A longitudinal analysis of aggression trajectories, quality of life, psychopathology and self-efficacy in closed youth residential care. *Children and youth services review*, 113,

105015.

- Kivisto, A.J., Moore, T.M., Fite, P.A. & Seidner, B.G. (2011). Future orientation and competence to stand trial: the fragility of competence. *The Journal of the American Academy of Psychiatry and the Law*, 39(3), 316-326.
- Kovalenko, J. D., Kulesz, P. A., Hein, S., Quintana, D., Shelton, M., & Grigorenko, E. L. (2021). The unspecified residual category of the DSM-5: the challenges of a catch-all diagnosis. *Current Psychology*, 1-12.
- Koyama, E., Zai, C. C., Bryushkova, L., Kennedy, J. L., & Beitchman, J. H. (2020). Predicting risk of suicidal ideation in youth using a multigene panel for impulsive aggression. *Psychiatry Research*, 285, 112726. doi: 10.1016/j.psychres.2019.112726
- Kuo, E.S., Vander Stoep, A., & Stewart, D.G. (2005). Using the Short Mood and Feelings Questionnaire to detect depression in detained adolescents. *Assessments*, 12 (4), 374-383. doi:10.1177/1073191105279984.
- Lau, K. L., Aalsma, M. C., Holloway, E. D., Wiehe, S. E., & Vachon, D. D. (2015). The effects of **racial heterogeneity** on mental health: A study of detained youth across multiple counties. *American Journal of Orthopsychiatry*, 85(5), 421-430. doi:10.1037/ort0000100.
- Leitch, D. B. (2019). Predicting Institutional Misconduct at a Secure, Juvenile Rehabilitation Center Through the Concurrent Use of the Massachusetts Youth Screening Instrument—Version 2 (MAYS I-2) and How I Think Questionnaire (HIT). *Journal of Correctional Education (1974-)*, 70(3), 60-77.
- Lopez-Williams, A., Vander Stoep, A., Kuo, A., & Stewart, D. (2006). Predictors of mental healthservice enrollment among juvenile offenders. *Youth Violence and Juvenile Justice*, 4, 266-280.
- Lin, B., Kidwell, M. C., Kerig, P. K., Crowell, S. E., & Fortuna, A. J. (2020). Profiles of autonomic stress responsivity in a sample of justice-involved youth: Associations with childhood trauma exposure and emotional and behavioral functioning. *Developmental Psychobiology*, 63(2), 206–225. <https://doi.org/10.1002/dev.21968>
- Mallett, C.A., & Stoddard-Dare, P. (2010). Predicting secure detention placement for **African-American** juvenile offenders: Addressing the disproportionate minority confinement problem. *Journal of Ethnicity in Criminal Justice*, 8(2), 91-103.
- Manetsch, M., RJ, N. A., Hermann, D., Van Der Put, C., Grisso, T., & Boonmann, C. (2021). Mental Health Problems in **Girls** Who Committed Sexual Offenses: Similarities and Differences Compared to Girls With Non-sex Offenses and **Boys** With Sex Offenses. *Frontiers in psychology*, 12, 721927-721927.
- Marczyk, G. R., Heilbrun, K., Lander, T., & DeMatteo, D. (2003). Predicting juvenile recidivism with the PCL:YV, MAYSI, and YLS/CMI. *International Journal of Forensic Mental Health*, 2(1), 7-18.
- Marczyk, G., Helibrun, K., Lander, T., & DeMatteo, D. (2005). Juvenile decertification: Developing a model for classification and prediction. *Criminal Justice and Behavior*, 32, 278-301.

- McCoy, H. (2009). Exploring MAYSI-2 differences: **African-American and Caucasian male** juvenile offenders. *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 69(10- A), 4127.
- McCoy, H. (2014). Using cognitive interviewing to explore causes for **racial** differences on the MAYSI-2. *Crime and Delinquency*, 60(5), 647-666. doi: 10.1177/0011128710388922
- McCoy, H. (2011). A path analysis of factors influencing **racial** differences on the MAYSI-2. *Journal of Offender Rehabilitation*, 50(3), 119-141.
- McCoy, H., Leverso, J., & Bowen, E. A. (2016). What the MAYSI-2 can tell us about anger/irritability and trauma. *International Journal of Offender Therapy and Comparative Criminology*, 60(5), 555-574. doi: 10.1177/0306624X14555855.
- McCoy, H., Vaughn, M. G., Maynard, B. R., & Salas-Wright, C. P. (2014). Caution or warning? A validity study of the MAYSI-2 with juvenile offenders. *Behavioral Sciences and the Law*, 32(4), 508-526. doi 10.1002/bsl.2128.
- Moffett, S., Javdani, S., Miglin, R., & Sadeh, N. (2020). Examining latent profiles of psychopathy in a **mixed-gender** sample of juvenile detainees. *Personality Disorders: Theory, Research, and Treatment*, 11(4), 290–299. doi: 10.1037/per0000370
- Murrie, D.C., Henderson, C.E., Vincent, G.M., Rockett, J.L., Mundt, C. (2009). Psychiatric symptoms among juveniles incarcerated in adult prison. *Psychiatric Services*, 60(8), 1092-1097.
- Newbauer, J.F., & Stone, M.H. (2010). Social interest and self-reported distress in a delinquent sample: Application of the SSSI and the MAYSI-2. *The Journal of Individual Psychology*, 66(2), 201-215.
- Nordness, P. D., et.al. (2002). Screening the mental health needs of youths in juvenile detention. *Juvenile and Family Court Journal*, 53(2), 43-50.
- Osterlind, S. J., Koller, J. R., & Morris, E. F. (2007). Incidence and practical issues of mental health for school-aged youth in juvenile justice detention. *Journal of Correctional Health Care*, 13(4), 268-277.
- Penner, E. K., Shaffer, C. S., & Viljoen, J. L. (2017). Questioning fairness: the relationship of mental health and psychopathic characteristics with young offenders' perceptions of procedural justice and legitimacy. *Criminal Behaviour and Mental Health*, 27(4), 354-370.
- Reilly, C., Johnson, D. R., & Ferguson, K. (2019). Validation of the Massachusetts Youth Screening Instrument with a looked after population. *Clinical child psychology and psychiatry*, 24(3), 593-607.
- Roe-Sepowitz, D. (2007). Adolescent **female** murderers: Characteristics and treatment implications. *American Journal of Orthopsychiatry*, 77(3), 489-496.
- Ruiz, R., Hohman, M., & Reed, M. B. (2017). Implications of Sentencing Reform on Mental Health Symptoms in the Declining Juvenile Justice Populations. *Journal of Applied Juvenile Justice Services*.

- Russell, J. D., Marsee, M. A., & Ryals, J. J. (2017). Identifying mental health issues in detained youth: Testing the structure and invariance of the Massachusetts Youth Screening Inventory–Version 2 (MAYSI-2). *Psychological Assessment, 29*(6), 720-726. doi:10.1037/pas0000410.
- Scott, L. D., Jr., & McCoy, H. (2016). Correlates of somatic symptoms among **African American males** transitioning from a public system of care. *American Journal of Men's Health, 10*(1), 10-18. doi:10.1177/1557988316630304.
- Shaffer, C. S., Gulbransen, E. M., Viljoen, J. L., Roesch, R., & Douglas, K. S. (2018). Predictive validity of the MAYSI-2 and PAI-A for suicide-related behavior and nonsuicidal self-injury among adjudicated adolescent offenders on probation. *Criminal Justice and Behavior, 45*(9), 1383-1403.
- Sheehan, A. E., Bounoua, N., Rose, R. E., Sadeh, N., & Javdani, S. (2023). Profiles of risk for self-injurious thoughts and behaviors among system-impacted girls of color. *Journal of the American Academy of Child & Adolescent Psychiatry, 62*(6), 601-610. <https://doi.org/10.1016/j.jaac.2023.06.010>
- Shulman, E. P., Bechtold, J., Kelly, E. L., & Cauffman, E. (2018). Mental health screening in juvenile justice settings: Evaluating the utility of the Massachusetts youth screening instrument, Version 2. *Criminal Justice Policy Review, 29*(8), 849-872.
- Smith, S.T., Edens, J.F., & Vaughn, M.G. (2011). Assessing the external correlates of alternative factor models of the psychopathic personality inventory- short form across three samples. *Journal of Personality Assessment, 93*(3), 244-256.
- Snyder, S. M., & Howard, M. O. (2015). Patterns of inhalant use among incarcerated youth. *PLOS ONE, 10*(9). doi: 10.1371/journal.pone.0135303
- Spice, A., Viljoen, J. L., Douglas, K. S., & Hart, S. D. (2015). Remorse, psychopathology, and psychopathy among adolescent offenders. *Law and Human Behavior, 39*(5), 451-462. doi:10.1037/lhb0000137.
- Steiner, H., et.al. (2011). Psychopathology, trauma and delinquency: subtypes of aggression and their relevance for understanding young offenders. *Child and Adolescent Psychiatry and Mental Health, 5*(21), 1-11. doi: 10.1186/1753-2000-5-21.
- Stewart, D. G., & Trupin, E. W. (2003). Clinical utility and policy implication of a statewide mental health screening process for juvenile offenders. *Psychiatric Services, 54*(3), 377-382.
- Sullivan, M., & Gummelt, G. (2017). Mental health screening instrument domain scores as predictors of recidivism in juvenile probation and drug court populations. *Journal of Offender Rehabilitation, 56*(5), 331-348. doi:10.1080/10509674.2017.1327918.

- Tapia, M., McCoy, H., & Tucker, L. (2015). Suicidal ideation in juvenile arrestees: Exploring legal and temporal factors. *Youth Violence and Juvenile Justice, 14*(4), 468-483. doi: 10.1177/1541204015579522.
- Tennity, C. L., & Grasseti, S. N. (2022). Feasibility and preliminary outcomes from a non-randomized trial of the free talk program in a short-term juvenile detention facility. *Children and Youth Services Review, 137*, 106470. <https://doi.org/10.1016/j.childyouth.2022.106470>
- Tille, J. E., & Rose, J. C. (2007). Emotional and behavioral problems of 13-to-18-year-old incarcerated **female** first-time offenders and recidivists. *Youth Violence and Juvenile Justice, 5*, 426-435.
- Trupin, E.W., Stewart, D.G., & Beach, B. (2002). Effectiveness of a dialectical behavior therapy program for incarcerated **female** juvenile offenders. *Child & Adolescent Mental Health, 7*(3), 121-127.
- Vaughn, M. G., Freedenthal, S., Jenson, J. M., & Howard, M. O., (2007). Psychiatric symptoms and substance use among juvenile offenders: a latent profile investigation. *Criminal Justice and Behavior, 34*(10), 1296-1312.
- Van Damme, L., et.al. (in press). Cross-national gender similarities and differences in self-reported mental health problems among youths in residential welfare/justice institutions. *Children and Youth Services Review*.
- Van Damme, L., et.al. (2015), Detained **girls'** treatment engagement over time: The role of psychopathology and quality of life. *Children and Youth Services Review, 59*, 47-56.
- Van Damme, L., Hoeve, M., Vermeiren, R., Vanderplasschen, W., & Colins, O. F. (2016). Quality of life in relation to future mental health problems and offending: Testing the good lives model among detained **girls**. *Law and Human Behavior, 40*(3), 285-294. doi:10.1037/lhb0000177.
- Vaughn, M., Howard, M., & Chang-Harper, L. (2006). Do prior trauma and victimization predict weapon carrying among delinquent youth? *Youth Violence and Juvenile Justice, 4*, 314-327.
- Vieira, A., Sheerin, K. M., Williamson-Butler, S., Pederson, C. A., Thompson, E. C., Soriano, S., Wolff, J. C., Spirito, A., & Kemp, K. (2023). Non-suicidal self-injury, suicidal behaviors, and mental health symptoms among sexual minority youth with juvenile justice system involvement. *Children and Youth Services Review, 155*, 107196. <https://doi.org/10.1016/j.childyouth.2023.107196>
- Vincent, G., Grisso, T., Terry, A., & Banks, S. (2008). **Sex and race** differences in mental health symptoms in juvenile justice: The MAYSI-2 National meta-analysis. *Journal of the American Academy of Child & Adolescent Psychiatry, 47*(3), 282-290.
- Vincent, G. M., Perrault, R. T., Drawbridge, D. C., Landry, G. O., & Grisso, T. (2021). Risk-Need-Responsivity Meets Mental Health: Implementation Challenges in Probation Case Planning. *Criminal Justice and Behavior, 00938548211008491*.
- Wasserman, G. A., et al. (2004). Screening for emergent risk and service needs among

incarcerated youth: Comparing the MAYSI-2 and Voice DISC-IV. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43(5), 629-639.

Wasserman, G.A., Vilhauer, J.S., McReynolds, L.S., Shoai, R., & John, R. (2005). Mental Health Screening in the Juvenile justice System: A comparison between the Voice-DISC-IV and the MAYSI-2. *Journal for Juvenile Justice and Detention Services* 19 (1).

Weber, S., & Lynch, S. (2021). Understanding the relations among adverse childhood experiences (ACE), substance use, and reoffending among detained youth. *Child Abuse & Neglect*, 120, 105211.

White, L. M., Lau, K. L., & Aalsma, M. C. (2016). Detained adolescents: Mental health needs, treatment use, and recidivism. *Journal of The American Academy of Psychiatry and the Law*, 44(2), 200-212.

Williams, M. M., Rogers, R., & Hartigan, S. E. (2019). Dimensions of psychopathology and behavioral problems: A CFA study of the MAYSI-2 scales in legally involved juveniles. *Translational Issues in Psychological Science*, 5(2), 143–153. <https://doi.org/10.1037/tps0000189>

Yurasek, A. M., Kemp, K., Otero, J., & Tolou-Shams, M. (2021). Substance use screening and rates of treatment referral among justice-involved youth. *Addictive behaviors*, 122, 107036.

Zannella, L., Eno Loudon, J., Kennealy, P., & Kang, T. (2018). Psychometric properties of the MAYSI-2 among **Latino** adolescent offenders. *Criminal justice and behavior*, 45(8), 1252-1268.

Zelechowski, A. D., Cross, H. L., Luehrs, R., Freedle, A., Bruick, S., Harrison, K., ... & Will, K. (2021). Trauma assessment in juvenile justice: are we asking the right questions in the right ways?. *Journal of Aggression, Maltreatment & Trauma*, 30(3), 324-346.

B.1 Research Conducted Outside of the United States

Choi, B.-S., & Kim, B. (2023). Prevalence of and gender differences in psychiatric disorders among juvenile detainees in **South Korea**: A comparative study. *Medicina*, 59(2068). <https://doi.org/10.20944/preprints202310.0775.v1>

Colins, O.F., et.al. (2015). Standardized Screening for Mental Health Needs of Detained Youths from Various Ethnic Origins: The **Dutch** Massachusetts Youth Screening Instrument- Second Version (MAYSI-2). *Journal of Psychopathology and Behavioral Assessment*, 37(3), 481-92. doi:10.1007/s10862-014-9476-4

Colins, O.F., Grisso, T., Mulder, E., & Vermeiren, R. (2015). The relation of standardized mental health screening and categorical assessment in detained male adolescents. *European Child & Adolescent Psychiatry*, 24(3), 339-49. doi:10.1007/s00787-014-0584-1. (**Netherlands**)

Demirbaş-Çakır, E., et.al. (2015). Adolescent delinquency and psychopathology: Is MAYSI-2 a valid instrument to assess psychopathology risk among **Turkish** adolescents? *Acta Medica Anatolia*, 3(4), 119-128. doi:10.15824/actamedica.86186.

- Dolitzsch, C., et.al. (2017). Diagnostic performance and optimal cut-off scores of the Massachusetts Youth Screening Instrument- second version in a sample of **swiss** youths in welfare and juvenile justice institutions. *BMC Psychiatry*, *17*, 2-9.
- Gretton, H.M., & Clift, R.J.W. (2011). The mental health needs of incarcerated youth in **British Columbia, Canada**. *International Journal of Law and Psychiatry*, *34*, 109-115.
- Hashemi, S. F., Hosseinian, S., Abdollahi, A., & Jalali, F. (2022). Investigating the psychometric properties of the **Persian** version of the Massachusetts Youth Screening Instrument (Maysi-2). *International Journal of Offender Therapy and Comparative Criminology*. doi:10.1177/0306624x221086575
- Leenarts, L., et.al. (2016). Relationship between Massachusetts Youth Screening Instrument-second version and psychiatric disorders in youths in welfare and juvenile justice institutions in **Switzerland**. *BMC Psychiatry*, *16* (1), 340.
- Lennox, C., O'Malley, K., Bell, V., Shaw, J., and Dolan, M. (2015). The validity and clinical utility of the Massachusetts Youth Screening Instrument – version 2 (MAYSI-2) in the **UK**. *Criminal Behaviour and Mental Health*, *25*(3), 207-219. doi: 10.1002/cbm.1924.
- McArdle, S., & Lambie, I. (2018). Screening for mental health needs of **New Zealand** youth in secure care facilities using the MAYSI-2. *Criminal Behaviour and Mental Health*, *28*(3), 239-254.
- Plattner, B., et.al. (2007). Suicidality, psychopathology, and **gender** in incarcerated adolescents in **Austria**. *Journal of Clinical Psychiatry*, *68*(10), 1593-1600.
- Smith, D.E., Springer, C.M., & Barrett, S. (2011). Physical discipline and socioemotional adjustment among **Jamaican** adolescents. *Journal of Family Violence*, *26*, 51-61. doi: 10.1007/s10896-010-9341-5.
- Stathis, S., et.al. (2008). Use of the Massachusetts Youth Screening Instrument to assess mental health problems in young people in an **Australian** youth detention centre. *Journal of Pediatrics & Child Health*, *44*(7/8), 438-443.
- Urban, S., et.al. (2017). Examination of the importance of age of onset, callous-unemotional traits and anger dysregulation in youths with antisocial behaviors. *European Child & Adolescent Psychiatry*, *26*(1), 87-97. doi:10.1007/s00787-016-0878-6. (**Switzerland**)
- Van Damme, L., et.al. (2016). Massachusetts Youth Screening Instrument for mental health needs of youths in residential welfare/justice institutions: identifying gender differences **across countries and settings**. *Journal of Forensic Psychiatry and Psychology*, online May 2016. doi:10.1080/14789949.2016.1183034.

C. Doctoral Dissertation Abstracts

- Bailey, S.M. (2008). Predicting mental illness with the MAYSI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, *68*(9-B), 6287.

- Bisbee, E.C.S. (2010). Massachusetts Youth Screening Instrument long-term outcomes and scale stability. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(1-B), 650.
- Britton, C. M. (2019). Symptomatology Identified by the MAYSI-2 Subscales: Is There an Association to Criminal Offenses in Juveniles? (Doctoral dissertation, Keiser University).
- Daurio, R. (2010). Factors associated with court decisions to provide juvenile offenders with mental health placements. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(8-B), 5156.
- Feldmann, Taylor. (2016). "Factors Contributing to Juvenile Recidivism in a Predominately **Hispanic** Population." Order No. 3619974 Texas A&M University - Corpus Christi, 2014. Ann Arbor: ProQuest. Web. 22 Aug. 2016.
- Feingold, Z. R. (2019). Poly-Victimization and Substance Use Problems Among Justice-Involved Adolescents (Order No. 22592383). Available from ProQuest Dissertations & Theses Global: Health & Medicine; ProQuest Dissertations & Theses Global: Social Sciences. (2299127749).
- Fisher, M.J. (2002). Confirmatory item factor analysis of the Massachusetts Youth Screening Instrument-2 on a sample of conduct disordered males. Unpublished doctoral dissertation, American International College, Australia.
- Harshbarger, J.L. (2007). The impact of mental health dimensions on the prediction of juvenile reentry recidivism. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 67(10-B), 6057.
- Horner, M. L. (2017). Complex trauma among incarcerated adolescent **females**: Assessing the utility of the Massachusetts Youth Screening Instrument-Version 2 and a developmental trauma framework. Chicago School of Professional Psychology, Ann Arbor: Proquest Dissertations Publishing, 10276832
- Johnson, D. (2006). The latent structure of adolescent problematic substance use: Taxometric analysis of the MAYSI-2 alcohol and drug use scale. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 67, (1-B), 547.
- Kalmbach, K. (2006). Mental health and psychosocial characteristics of juvenile offenders: Relationship to dispositional outcomes. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66, (9-B), 5092.
- Logan, L. (2006). A Cross-time analysis of the mental health needs of juvenile offenders. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68(5-B), 3402.
- Maney, S.M. (2011). Violent and nonviolent juvenile offenders: Comparisons concerning self-report or mental health symptoms and response styles. Unpublished doctoral dissertation, Massachusetts School of Professional Psychology, Boston, MA.
- Marczyk, G. R. (2003). Predicting juvenile recidivism and validating juvenile risk factors in an urban environment. *Dissertation Abstracts International: Section B: The Sciences and*

Engineering, 63(8-B).

- Mcconihay, J. (2008). Accuracy of detained juveniles self-report of substance use on the Massachusetts Youth Screening Instrument-Version 2. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 68(12-B), 8444.*
- Padilla, R. (2006). Juvenile offenders' affective responses to a traumatic experience: A psychometric study using the Massachusetts Youth Screening Instrument Version 2. *Dissertation Abstracts International: Section B: The Sciences and Engineering 67(6-B).*
- Patrick, S. W. (2016). Exploration of factors related to institutional misconduct for **male** youth in a juvenile detention center located within an Appalachian county: Using the Massachusetts Youth Screening Instrument 2nd Edition. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 77(3-B)(E).*
- Penner, E. K. (2016). "Procedural Justice and Legitimacy in Adolescent Offenders: Associations with Mental Health, Psychopathic Features, and Offending." Order No. NS22582 Simon Fraser University (Canada), 2012. Ann Arbor: ProQuest. Web. 22 Aug. 2016.
- Steele, K. (2000). Dual-symptomed juvenile offenders: A study of mental health and substance abuse symptoms within Washington state juvenile rehabilitation administration. *Dissertation Abstracts International Section A: Humanities and Social Sciences, 61(6-A), 2199.*
- Stinson, P. (2006). Determining the prevalence of mental health needs in the juvenile delinquency system at intake: A MAYSI-2 comparison of non-detained and detained youth. *Dissertation Abstracts International: 708.*
- Tille, J. (2005). An analysis of an independent study on emotional and behavioral problems for 13-to-18 year old incarcerated female first-time offenders and recidivists. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 66, (2-B), 1225.*
- Vance, D. (2006). The relationship between scores on the Massachusetts Youth Screening Instrument and serious incidents committed by juveniles detained in the Dallas County Juvenile Detention Center (Texas). *Dissertation Abstracts International Section A: Humanities and Social Sciences, 66(10-A), 3578.*
- Vasquez, C. M. (2010). Predicting recidivism in juvenile offenders by levels of emotional disturbance, severity of offense, and demographic background. Unpublished doctoral dissertation, The University of Arizona, Tucson, AZ.
- Washington, L. (2019). Analyzing the capability to assess psychological symptoms through somatic complaints in adolescent **minority females** using the Massachusetts Youth Screening Instrument – Second Edition. Unpublished doctoral dissertation, The Chicago School of Professional Psychology, Chicago, IL.
- Yolanda Denise Ochoa, "Examining the Spanish MAYSI-2 translation among **Mexican Americans**" (January 1, 2016). ETD Collection for University of Texas, El Paso. Paper AAI10118219.
<http://digitalcommons.utep.edu/dissertations/AAI10118219>

(1) State-Level Project Reports

California

Haapanen, R., & Ingram, W. (2000, August). *California youth authority mental health and substance abuse treatment needs assessment: Description and preliminary findings*. Sacramento, CA: State of California, California Youth Authority, Research Division.

Shulman, E., & Cauffman, E. (2006). *MAYSI-2 statewide screening – California: Description of Alcohol/Drug Use and mental health symptoms among youth identified by the Massachusetts Youth Screening Instrument-2*. Irvine, CA: Department of Psychology and Social Behavior, University of California, Irvine.

Indiana

Aalsma, M. C., & the Indiana Juvenile Mental Health Screening, Assessment & Treatment Project. (2011, August). *A statewide collaboration to screen and connect youth to mental health care upon entry into Indiana juvenile detention facilities*. Indiana State Bar Association, Civil Rights of Children Committee in Cooperation with the Youth Law T.E.A.M. of Indiana.

Florida

Florida Department of Juvenile Justice. (2001, September). *Tested, reliable MAYSI-2 used at intake*. Tallahassee, FL: Florida Department of Juvenile Justice: Office of the General Counsel.

The Justice Research Center. (2002, May). *An initial examination of Massachusetts Youth Screening Instrument (MAYSI) data: Recommendations for Policy and Practice*. Tallahassee, FL: Florida Department of Juvenile Justice.

Missouri

Missouri Department of Mental Health. (2002). *The MO MAYSI project: An examination of the mental health needs of youth in the juvenile justice system using the Massachusetts Youth Screening Instrument-2nd Edition*. St. Louis, MO: State of Missouri, Department of Mental Health, Division of comprehensive Psychiatric Services.

Missouri Alliance For Youth: A Partnership Between DMH and Juvenile Justice. (2003, Winter). *The MO MAYSI project: DYS report. Missouri Department of Mental Health: Juvenile Justice*, pp.1-2, 4.

Osterlind, S. J., Svoboda, S. K., & Koller, J. (2002). *MAYSI-2: Report of findings of juvenile justice evaluation program*. Technical Report. St. Louis, MO: Missouri Division of Social Service, Department of Mental Health.

Oregon

Research and Training Center on Family Support and Children's Mental Health. (2002). *Mental health screening instruments for use in juvenile justice*. Portland, OR: Portland State University, Research and Training Center on Family Support and Children's Mental Health.

Research and Training Center on Family Support and Children's Mental Health. (2003). *Mental health screening instruments for use in juvenile justice*. Retrieved February 10, 2003, from <http://www rtc.pdx.edu/DataTrends/pgDT55.shtml>

Williams, V., & T. Grisso (2008). Impact of Mental Health Screening with the Massachusetts Youth Screening Instrument (MAYSI-2) in Juvenile Detention "*Proceedings of the 20th Annual Research Conference, A System of Care for Children's Mental Health: Expanding the Research Base* (2008). Available at: http://works.bepress.com/valerie_williams/26

Pennsylvania

Bender, E. (2003). *Professional news: Mental health advocates hope outreach benefits youth on probation*: The State of Pennsylvania, Department of Public Welfare.

Cauffman, E., Shulman, E., & Dickman, J. (2009). *Mental health needs in Pennsylvania's secure juvenile detention population: A statewide study implementing the automated Massachusetts Youth Screening Instrument, Version 2*. Philadelphia, PA: Juvenile Detention Centers Association of Pennsylvania.

Civic Research Institute Inc. (2003, September/October). Youth in Pennsylvania justice system found to have significant mental problems. *Juvenile Correctional Mental Health Report*. Kingston, NJ: Civic Research Institute, Inc.

Griffin, P. (2000, December). Assessing detained youth in Pennsylvania. *Pennsylvania progress: Juvenile justice achievements in Pennsylvania*. Pittsburgh, PA: National Center For Juvenile Justice: National Council of Juvenile and Family Court Judges.

Grisso, T. & Williams, V. (2006, July). *What do We Know About the Mental Health Needs of Pennsylvania's Youth in Juvenile Detention? Findings and Recommendations from the Mental Health Assessment of Youth in Detention Project*. Juvenile Detention Centers Association of Pennsylvania, Harrisburg, PA.

Juvenile Detention Center Association of Pennsylvania (JDCAP). (2003). *MAYSI-2 Pilot Site Reference Guide*. Harrisburg, PA.

Williams, V., Grisso, T., Valentine, M., & Remsburg, N. (2008). Mental health screening: Pennsylvania's experience in juvenile detention. *Corrections Today*, 70(1), 24-27.

Texas

Schwank, J., Espinosa, E., & Tolbert, V. (2003, February). *Mental health and juvenile justice in Texas*. Austin, TX: The State of Texas, Texas Juvenile Probation Commission.

Texas Juvenile Probation Commission. (2001, June). *MAYSI-2 chosen as required mental health screening instrument*. Austin, TX: Texas Juvenile Probation Commission.

Virginia

Kotler, J. D. (2001, Summer). Mental health and juvenile justice: Seeking common ground. *Networks*. Alexandria, VA: National Technical Assistance Center for State Mental Health Planning.

Reppucci, N. D., & Redding, R. E. (2000). *Screening instruments for mental illness in juvenile offenders: The MAYSI and the BSI, juvenile justice fact sheet*. Charlottesville, VA: University of Virginia, Institute of Law, Psychiatry, and Public Policy.

Others

Grisso, T., Barnum, R., & Lexcen, F. (2001, July/August). Promoting mental health screening

in juvenile corrections: The MAYSI-2, *Juvenile Correctional Mental Health Report*. Kingston, NJ: Civic Research Institute, Inc.

Guy, L. S., Vincent, G. M., Grisso, T., & Perrault, R. (2015). Advancing use of risk assessment in juvenile probation. *Technical Report submitted to the Office of Juvenile Justice and Delinquency Prevention*. Worcester, MA: University of Massachusetts Medical School. Retrieved from <https://www.ncjrs.gov/pdffiles1/ojjdp/grants/249155.pdf>

Vincent, G. M., & Perrault, R. (2018). Risk Assessment and Behavioral Health Screening (RABS) project final technical report. *Unpublished technical report submitted to the Office of Juvenile Justice and Delinquency Prevention*. Worcester, MA: University of Massachusetts Medical School. Retrieved from <https://www.ojp.gov/library/publications/risk-assessment-and-behavioral-health-screening-rabs-project-final-technical>

(2) Public Media Documents

Business Publishers, I. (2003, November). A 10 minute test screens youth for signs of mental illness. *Child protection report*. Silver Spring, MD: Business Publishers, Inc.

Clinician's Research Digest. (2007, June). MAYSI-2 predicts maladjustment among severe juvenile offenders. *Volume, 25(6), 6*.

Franck, M. (2003, November 3). Test reveals mental woes of delinquents: Early screening may cut costs of treatment later. *St. Louis Post-Dispatch*, pp. B1,B2.

Sedlak, A.J., & McPherson, K.S. (2010, April). Youth's needs and services: Findings from the Survey of Youth in Residential Placement. *OJJDP Juvenile Justice Bulletin, NCJ 227728*.

Twedt, S. (2001, August 19). State and local groups reach out to troubled juveniles. *Pittsburgh Post Gazette*, p. E5.

Twedt, S. (2002, October 6). Confined teens' troubles run deep: State finds over 50% suffer mental illness. *Pittsburgh Post-Gazette*, p. B1.

E. General Mental Health Screening Articles with Commentary on MAYSI-2

American Academy of Child & Adolescent Psychiatry. (2005). Practice Parameter for the Assessment and Treatment of Youth in Juvenile Detention and Correctional Facilities. *Journal of the American Academy of Child & Adolescent Psychiatry, 44(10), 1085-1098*.

Desai, R., et.al. (2006). Mental health care in juvenile detention facilities: A review. *The Journal of the American Academy of Psychiatry & the Law, 34,204-214*.

Grisso, T. (1999). Juvenile offenders and mental illness. *Psychiatry, Psychology, and Law, 6(2), 143-151*. Grisso, T. (2007). Progress and perils in the juvenile justice and mental health movement. *Journal of the American Academy of Psychiatry and the Law, 35(2), 158-167*.

- Grisso, T., Davis, M., & Vincent, G. M. (March, 2004). Mental Health and juvenile justice systems: Responding to the needs of youth with mental health conditions and delinquency. Center for mental health services research issue brief.
<http://www.umassmed.edu/uploadedfiles/Brief3JJsystem.pdf>
- Grisso, T., & Underwood, L. (2002, December). *Screening and assessing mental health and substance use disorders among youth in the juvenile justice system*. Delmar, NY: National Center for Mental Health and Juvenile Justice, Policy Research Associates.
- National Action Alliance for Suicide Prevention: Youth in Contact with the Juvenile Justice System Task Force. (2013). *Screening and assessment for suicide prevention: Tools and procedures for risk identification among juvenile justice youth*. Washington, DC: Author.
- National Center for Mental Health and Juvenile Justice. (2007). *Mental health screening within juvenile justice: The next frontier*. Delmar, NY: National Center for Mental Health and Juvenile Justice.
- Rosado, L. (2002). Serving the mental needs of youth in the juvenile justice system. Retrieved February 10, 2003, from
http://www.jlc.org/home/updates/updates_links/JJmhYouth.html
- Soulier, M., & McBride, A. (2016). Mental health screening and assessment of detained youth. *Child And Adolescent Psychiatric Clinics Of North America*, 25(1), 27-39. doi:10.1016/j.chc.2015.08.002.
- Vincent, G. M., & Grisso, T. (Dec, 2004). Developing mental health screening in juvenile justice. Center for mental health services research issue brief.
<http://www.umassmed.edu/uploadedfiles/Brief10Screening.pdf>
- Wachter A (2015) Mental health screening in juvenile justice services. Report, National Center for Juvenile Justice, April. Available at:
http://www.ncjj.org/pdf/JGPS%20StateScan/JGPS_Mental_Health_Screening_in_Juvenile_Justice_2015_4.pdf
- Wasserman, G. A., Jensen, P. S., Ko, S. J., Cocozza, J., Trupin, E., Angold, A., et al. (2003). Mental health assessments in juvenile justice: Report on the consensus conference. *Journal of the American Academy of Child and Adolescent Psychiatry*, 42(7), 751-761.
- Williams, V., & Grisso, T. (Oct, 2006). Lessons Learned: Facilitating mental health screening in juvenile justice programs. Center for mental health services research issue brief.
<http://www.umassmed.edu/uploadedfiles/Brief26MHscreening.pdf>
- Williams, V., & Grisso, T. (December, 2011). Does mental health screening fulfill its promise? A John D. and Catherine T. MacArthur Foundation Models for Change Knowledge Brief.